

## Safety data sheet

Page: 1/14

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

## Ultracur3D ST45 B

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

#### 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

## **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 Skin Sens. 1B STOT RE 2 (oral) Aquatic Chronic 3

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

H318, H315, H302, H317, H373, H412

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



## Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated oral

exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye/face protection.

P260 Do not breathe dust/gas/mist/vapours.
P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P330 Rinse mouth.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

According to Regulation (EC) No 1272/2008 [CLP]

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Hazard determining component(s) for labelling: 2-Propen-1-one, 1-(4-morpholinyl)-, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide, 4-(1,1-Dimethylethyl)cyclohexyl acrylate, (Octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate

#### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

Preparation based on: urethane, acrylates, Polymer

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Content (W/W): >= 1 % - < 3 % Skin Sens. 1B CAS Number: 75980-60-8 Repr. 2 (fertility) EC-Number: 278-355-8 Repr. 2 (unborn child) Aquatic Chronic 2 H317, H361fd, H411

4-(1,1-Dimethylethyl)cyclohexyl acrylate

Content (W/W): >= 1 % - < 3 % Skin Corr./Irrit. 2 CAS Number: 84100-23-2 Eye Dam./Irrit. 2 Skin Sens. 1A

REACH registration number: 01- STOT SE 3 (irr. to respiratory syst.)

2120735441-62 Aquatic Acute 1 INDEX-Number: 607-133-00-9 Aquatic Chronic 2 M-factor acute: 1

H319, H315, H317, H335, H411, H400

2-Propen-1-one, 1-(4-morpholinyl)-

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Content (W/W): >= 50 % - < 75 % Acute Tox. 4 (oral)
CAS Number: 5117-12-4 Eye Dam./Irrit. 1
EC-Number: 418-140-1 Skin Sens. 1
INDEX-Number: 613-222-00-3 STOT RE 2

H318, H302, H317, H373

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate

Content (W/W): >= 5 % - < 7 % Skin Corr./Irrit. 2 CAS Number: 42594-17-2 Eye Dam./Irrit. 2

EC-Number: 255-901-3 STOT SE 3 (irr. to respiratory syst.)

INDEX-Number: 607-133-00-9 Aquatic Chronic 2

H319, H315, H335, H411

Specific concentration limit: STOT SE 3: >= 10 %

Polymeric urethane acrylate

Content (W/W): >= 25 % - < 50 % Skin Corr./Irrit. 2 CAS Number: 52404-33-8 Eye Dam./Irrit. 2 H319, H315

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

#### **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

Immediately remove contaminated clothing.

#### If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

#### On skin contact:

Wash thoroughly with soap and water.

#### On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

## 5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

## 6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

## **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Protect against heat. Protect from the effects of light. The stabilizer is only effective in the presence of oxygen.

Protect from temperatures below: 0 °C Protect from temperatures above: 40 °C

## **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control parameters

## 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

#### Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Form: liquid
Colour: black
Odour: acrylic-like

Odour threshold:

No data available.

pH value: 7

Freezing point:

not determined

boiling temperature: > 100 °C

(1,013 hPa)

Flash point: > 100 °C

Evaporation rate:

not determined

Flammability: (derived from flash point)

Lower explosion limit:

not determined

For liquids not relevant for

classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit: (DIN 51649-1)

not determined

For liquids not relevant for classification and labelling.

Ignition temperature:

not determined

Vapour pressure:

not determined

Density: 1.09 g/cm3

(55 °C) 1.12 g/cm3 (20 °C)

Relative density:

No data available.

Relative vapour density (air):

not determined

Solubility in water: sparingly soluble

Solubility (qualitative) solvent(s): organic solvents

soluble

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Self ignition: not self-igniting

Thermal decomposition: 195 °C, 300 - < 400 kJ/kg,

Viscosity, dynamic: approx. 300 mPa.s

(20 °C) 100 mPa.s (50 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

#### 9.2. Other information

Surface tension:

No data available.

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

## **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

The product can polymerize if the shelf life or storage temperature are greatly exceeded. Heat develops during polymerization. Reacts with peroxides and other radical components. The product is stabilized against spontaneous polymerization prior to despatch.

#### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

#### 10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

#### 11.1. Information on toxicological effects

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

#### Acute toxicity

Experimental/calculated data:

ATE (oral): approx. 1,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

#### <u>Irritation</u>

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (BASF-Test)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: irreversible damage (BASF-Test)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Respiratory/Skin sensitization

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

The product has not been tested. The statement has been derived from the properties of the individual components.

## Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

#### Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

## Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

#### Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

## Specific target organ toxicity (single exposure)

Assessment of STOT single:

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS GEN EU/EN)

Date of print 16.07.2020

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs.

Aspiration hazard

No aspiration hazard expected.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

LC50 (96 h) > 1 - 10 mg/l, Leuciscus idus

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates:

No data available.

Aquatic plants:

No observed effect concentration (72 h) 10 - 100 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)

The product has not been tested. The statement has been derived from the properties of the individual components.

Microorganisms/Effect on activated sludge:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Chronic toxicity to fish:

No data available regarding toxicity to fish.

Chronic toxicity to aquatic invertebrates:

No data available regarding toxicity to daphnids.

Assessment of terrestrial toxicity:

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

No data available concerning terrestrial toxicity.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Poorly biodegradable.

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

#### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

No data available.

## 12.7. Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Acutely harmful for aquatic organisms.

#### **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

## **SECTION 14: Transport Information**

#### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

## **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user:

Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number: Not applicable UN proper shipping name: Not applicable

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS\_GEN\_EU/EN)

Date of print 16.07.2020

Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

## Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Not evaluated

Date / Revised: 28.01.2019 Version: 1.0

Product: Ultracur3D ST45 B

(ID no. 30770320/SDS GEN EU/EN)

Date of print 16.07.2020

## **SECTION 15: Regulatory Information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

## **SECTION 16: Other Information**

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity — repeated exposure Aquatic Chronic Hazardous to the aquatic environment - chronic

Repr. Reproductive toxicity

STOT SE Specific target organ toxicity — single exposure Hazardous to the aquatic environment - acute **Aquatic Acute** 

Causes serious eve damage. H318 H315 Causes skin irritation.

H302 Harmful if swallowed.

May cause an allergic skin reaction. H317

May cause damage to organs through prolonged or repeated oral H373

exposure.

H412 Harmful to aquatic life with long lasting effects.

Suspected of damaging fertility. Suspected of damaging the unborn child. H361fd

Toxic to aquatic life with long lasting effects. H411

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H373 May cause damage to organs () through prolonged or repeated exposure.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.